

### Amendments to the Claims

Kindly amend claims 1-4, 12, 13, 21-24, 32, 33, 41, 42, 44-47, 55 & 56 and cancel claims 11, 14, 15, 31, 34, 35, 54, 57 & 58 (without prejudice) as set forth below. All pending claims are reproduced below, with changes in the amended claims shown by underlining (for added matter) and strikethrough/double brackets (for deleted matter).

1. (Currently Amended) A method of auditing data of data entry forms, said method comprising:

providing ~~an observable object for a field~~ a plurality of observable objects,  
each observable object being provided for a different corresponding field of a  
plurality of fields of a data entry form to be audited, each said observable object  
including logic to be used for auditing data of ~~the~~ its corresponding field; and

auditing data of the ~~field~~ plurality of fields using the plurality of  
observable ~~object~~ objects.

2. (Currently Amended) The method of claim 1, wherein the plurality of observable  
~~object provides a~~ objects provide decentralized ~~location~~ locations for auditing the data of the  
~~field~~ plurality of fields.

3. (Currently Amended) The method of claim 1, further comprising building a  
modifier object for ~~the~~ a corresponding field, in response to the auditing determining that a  
specified event related to the corresponding field has occurred.

4. (Currently Amended) The method of claim 3, wherein the specified event  
includes a change in the data of the corresponding field.

5. (Original) The method of claim 3, further comprising forwarding the modifier  
object to a pool of one or more modifier objects.

6. (Original) The method of claim 5, further comprising:  
  
retrieving, by an observer, the modifier object from the pool; and  
  
running a modifier method of said modifier object to accommodate the specified event.
7. (Original) The method of claim 6, wherein the modifier method comprises a modify method, and running the modify method causes changed data to be stored in a storage medium.
8. (Original) The method of claim 6, further comprising informing the observer that the modifier object has been added to the pool of one or more modifier objects.
9. (Original) The method of claim 6, wherein the observer is a test observer used for debugging.
10. (Original) The method of claim 9, wherein the modifier method comprises a test method used for debugging.
11. (Canceled).
12. (Currently Amended) The method of claim ~~[[11]]~~ 1, further comprising automatically building a modifier object for each field of said plurality of fields that includes changed data, as determined by the auditing.

13. (Currently Amended) A method of auditing data of a data entry form, said method comprising:

providing ~~an observable object for a field~~ a plurality of observable objects, each observable object being provided for a different corresponding field of a plurality of fields of the data entry form to be audited, each said observable object including logic to be used for auditing data of ~~the~~ its corresponding field;

auditing data of the ~~field~~ plurality of fields using the plurality of observable ~~object~~ objects;

automatically building a modifier object for ~~the~~ each corresponding field, in response to the auditing determining that a change has occurred in the data of the corresponding field;

forwarding the each modifier object to a pool of one or more modifier objects;

informing an observer that the modifier object has been added to the pool of one or more modifier objects;

retrieving, by the observer, the modifier object from the pool; and

running, by the observer, a modify method of the modifier object to accommodate the change in the data of the corresponding field.

14. (Canceled).

15. (Canceled).

16. (Original) A method of auditing data of components of a self- monitoring framework, said method comprising:

providing an observable object for each component of a plurality of components of multiple components of said self-monitoring framework to be audited, each observable object including logic to be used for auditing data of its associated component; and

auditing data of said each component using the observable object corresponding to that component.

17. (Original) The method of claim 16, further comprising building a modifier object for each component of said plurality of components determined by the auditing to have had a specified event for that component occur.

18. (Original) The method of claim 17, wherein the specified event for a component is related to one or more operating conditions of the component.

19. (Original) The method of claim 17, further comprising forwarding each modifier object to a pool of modifier objects.

20. (Original) The method of claim 19, further comprising:

retrieving, by one or more observers, the one or more modifier objects of the pool; and

running, by the one or more observers, one or more modify methods of the one or more modifier objects retrieved from the pool to accommodate one or more specified events.

21. (Currently Amended) A system of auditing data of data entry forms, said system comprising:

means for providing ~~an observable object for a field~~ a plurality of observable objects, each observable object being provided for a different corresponding field of a plurality of fields of a data entry form to be audited, each said observable object including logic to be used for auditing data of ~~the~~ its corresponding field; and

means for auditing data of the ~~field~~ plurality of fields using the plurality of observable ~~object~~ objects.

22. (Currently Amended) The system of claim 21, wherein the observable ~~object~~ objects provide decentralized ~~location~~ locations for auditing the data of the ~~field~~ plurality of fields.

23. (Currently Amended) The system of claim 21, further comprising means for building a modifier object for ~~the~~ a corresponding field, in response to the auditing determining that a specified event relating to the corresponding field has occurred.

24. (Currently Amended) The system of claim 23, wherein the specified event includes a change in the data of the corresponding field.

25. (Original) The system of claim 23, further comprising means for forwarding the modifier object to a pool of one or more modifier objects.

26. (Original) The system of claim 25, further comprising:

means for retrieving, by an observer, the modifier object from the pool;  
and

means for running a modifier method of said modifier object to accommodate the specified event.

27. (Original) The system of claim 26, wherein the modifier method comprises a modify method, and the modify method causes changed data to be stored in a storage medium.

28. (Original) The system of claim 26, further comprising means for informing the observer that the modifier object has been added to the pool of one or more modifier objects.

29. (Original) The system of claim 26, wherein the observer is a test observer used for debugging.

30. (Original) The system of claim 29, wherein the modifier method comprises a test method used for debugging.

31. (Canceled).

32. (Currently Amended) The system of claim ~~[[31]]~~ 21, further comprising means for automatically building a modifier object for each field of said plurality of fields that includes changed data, as determined by the auditing.

33. (Currently Amended) A system of auditing data of a data entry form, said system comprising:

means for providing ~~an observable object for a field~~ a plurality of observable objects, each observable object being provided for a different corresponding field of a plurality of fields of the data entry form to be audited, each said observable object including logic to be used for auditing data of ~~the~~ its corresponding field;

means for auditing data of the ~~field~~ plurality of fields using the plurality of observable ~~object~~ objects;

means for automatically building a modifier object for ~~the~~ each corresponding field, in response to the auditing determining that a change has occurred in the data of the corresponding field;

means for forwarding ~~the~~ each modifier object to a pool of one or more modifier objects;

means for informing an observer that the modifier object has been added to the pool of one or more modifier objects;

means for retrieving, by the observer, the modifier object from the pool;  
and

means for running, by the observer, a modify method of the modifier object to accommodate the change in the data of the corresponding field.

34. (Canceled).

35. (Canceled).

36. (Original) A system of auditing data of components of a self- monitoring framework, said system comprising:

means for providing an observable object for each component of a plurality of components of multiple components of said self-monitoring framework to be audited, each observable object including logic to be used for auditing data of its associated component; and

means for auditing data of said each component using the observable object corresponding to that component.

37. (Original) The system of claim 36, further comprising means for building a modifier object for each component of said plurality of components determined by the auditing to have had a specified event for that component occur.

38. (Original) The system of claim 37, wherein the specified event for a component is related to one or more operating conditions of the component.

39. (Original) The system of claim 37, further comprising means for forwarding each modifier object to a pool of modifier objects.

40. (Original) The system of claim 39, further comprising:

means for retrieving, by one or more observers, the one or more modifier objects of the pool; and

means for running, by the one or more observers, one or more modify methods of the one or more modifier objects retrieved from the pool to accommodate one or more specified events.

41. (Currently Amended) A system of auditing data of data entry forms, said system comprising:

~~an observable object provided for a field~~ a plurality of observable objects, each observable object being provided for a different corresponding field of a plurality of fields of a data entry form to be audited, each said observable object including logic to be used for auditing data of ~~the~~ its corresponding field; and

a computing unit to audit data of the ~~field~~ plurality of fields using the plurality of observable object objects.

42. (Currently Amended) A system of auditing data of a data entry form, said system comprising:

~~an observable object provided for a field~~ a plurality of observable objects, each observable object being provided for a different corresponding field of a plurality of fields of the data entry form to be audited, each said observable object including auditing logic for auditing data of its corresponding field;

~~auditing logic of the observable object to audit data of the field;~~

a modifier object automatically built for the each corresponding field, in response to the auditing logic determining that a change has occurred in the data of the corresponding field;

a pool of one or more modifier objects to receive the each modifier object;  
and

an observer informed that the modifier object has been added to the pool of one or more modifier objects, wherein the observer retrieves the modifier object from the pool, and runs a modify method of the modifier object to accommodate the change in the data of the corresponding field.

43. (Original) A system of auditing data of components of a self- monitoring framework, said system comprising:

an observable object provided for each component of a plurality of components of multiple components of said self-monitoring framework to be audited, each observable object including logic to be used for auditing data of its associated component; and

a computing unit to audit data of said each component using the observable object corresponding to that component.

44. (Currently Amended) At least one program storage device readable by a machine, tangibly embodying at least one program of instructions executable by the machine to perform a method of auditing data of data entry forms, said method comprising:

providing ~~an observable object for a field~~ a plurality of observable objects, each observable object being provided for a different corresponding field of a plurality of fields of a data entry form to be audited, each said observable object including logic to be used for auditing data of ~~the~~ its corresponding field; and

auditing data of the ~~field~~ plurality of fields using the plurality of observable ~~object~~ objects.

45. (Currently Amended) The at least one program storage device of claim 44, wherein the plurality of observable object provides a objects provide decentralized ~~location~~ locations for auditing the data of the ~~field~~ plurality of fields.

46. (Currently Amended) The at least one program storage device of claim 44, wherein said method further comprises building a modifier object for ~~the~~ a corresponding field, in response to the auditing determining that a specified event related to the corresponding field has occurred.

47. (Currently Amended) The at least one program storage device of claim 46, wherein the specified event includes a change in the data of the corresponding field.

48. (Original) The at least one program storage device of claim 46, wherein said method further comprises forwarding the modifier object to a pool of one or more modifier objects.

49. (Original) The at least one program storage device of claim 48, wherein said method further comprises:

retrieving, by an observer, the modifier object from the pool; and

running a modifier method of said modifier object to accommodate the specified event.

50. (Original) The at least one program storage device of claim 49, wherein the modifier method comprises a modify method, and running the modify method causes changed data to be stored in a storage medium.

51. (Original) The at least one program storage device of claim 49, wherein said method further comprises informing the observer that the modifier object has been added to the pool of one or more modifier objects.

52. (Original) The at least one program storage device of claim 49, wherein the observer is a test observer used for debugging.

53. (Original) The at least one program storage device of claim 52, wherein the modifier method comprises a test method used for debugging.

54. (Canceled).

55. (Currently Amended) The at least one program storage device of claim ~~[[54]]~~ 44, wherein said method further comprises automatically building a modifier object for each field of said plurality of fields that includes changed data, as determined by the auditing.

56. (Currently Amended) At least one program storage device readable by a machine, tangibly embodying at least one program of instructions executable by the machine to perform a method of auditing data of a data entry form, said method comprising:

providing ~~an observable object for a field~~ a plurality of observable objects, each observable object being provided for a different corresponding field of a plurality of fields of the data entry form to be audited, each said observable object including logic to be used for auditing data of ~~the~~ its corresponding field;

auditing data of the ~~field~~ plurality of fields using the plurality of observable ~~object~~ objects;

automatically building a modifier object for ~~the~~ each corresponding field, in response to the auditing determining that a change has occurred in the data of the corresponding field;

forwarding ~~the~~ each modifier object to a pool of one or more modifier objects;

informing an observer that the modifier object has been added to the pool of one or more modifier objects;

retrieving, by the observer, the modifier object from the pool; and

running, by the observer, a modify method of the modifier object to accommodate the change in the data of the corresponding field.

57. (Canceled).

58. (Canceled).

59. (Original) At least one program storage device readable by a machine, tangibly embodying at least one program of instructions executable by the machine to perform a method of auditing data of components of a self-monitoring framework, said method comprising:

providing an observable object for each component of a plurality of components of multiple components of said self-monitoring framework to be audited, each observable object including logic to be used for auditing data of its associated component; and

auditing data of said each component using the observable object corresponding to that component.

60. (Original) The at least one program storage device of claim 59, wherein said method further comprises building a modifier object for each component of said plurality of components determined by the auditing to have had a specified event for that component occur.

61. (Original) The at least one program storage device of claim 60, wherein the specified event for a component is related to one or more operating conditions of the component.

62. (Original) The at least one program storage device of claim 60, wherein said method further comprises forwarding each modifier object to a pool of modifier objects.

63. (Original) The at least one program storage device of claim 62, wherein said method further comprises:

retrieving, by one or more observers, the one or more modifier objects of the pool; and

running, by the one or more observers, one or more modify methods of the one or more modifier objects retrieved from the pool to accommodate one or more specified events.

\* \* \* \* \*